



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) Publication number:

0 293 790
A1

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 88108562.5

(51) Int. Cl. 4: A61K 7/06

(22) Date of filing: 28.05.88

(30) Priority: 05.06.87 JP 140881/87

(43) Date of publication of application:
07.12.88 Bulletin 88/49

(84) Designated Contracting States:
DE FR GB IT

(71) Applicant: NIKKO SOGYO YUGEN KAISHA
No. 5-56-10, Asakusa Taito-ku
Tokyo(JP)

(72) Inventor: Matsuoka, Katsuo
No. 3-31-4-301 Senzoku
Taito-ku Tokyo(JP)

(74) Representative: Patentanwälte Dipl. Ing. R.
Splanemann Dr. B. Reitzner Dipl. Ing. K.
Baronetzky
Tal 13
D-8000 München 2(DE)

(54) A composition for preventing loss of hair and facilitating growth of hair.

(57) Disclosed is a composition for preventing loss of hair and facilitating growth of hair. The composition contains an extract from Illicium religiosum and may be in a form of solution, cream or emulsion. The composition may contain one or more bases and/or one or more pharmaceutically effective components. The composition may be in a form of yogurt containing the extract from Illicium religiosum.

AJ

EP 0 293 790 A1

A COMPOSITION FOR PREVENTING LOSS OF HAIR AND FACILITATING GROWTH OF HAIR

The present invention relates to a composition for preventing loss of hair and facilitating growth of hair, in particular to a hair-treatment composition containing a characteristic natural plant component, and to a method for producing it.

Conventionally, a number of therapies and treatments were essentially carried out to prevent loss of hair and to facilitate growth of hair. Examples are the application of hair-growth facilitating agent, the physical stimulus or other on the skin having the bulb of hair to facilitate growth of hair, or some ornamental false hair in the form of wig or hairpiece.

The former is very preferable giving a natural hair, and the latter is preferable in a case of urgent, being instant when the natural hair is not obtained, being troublesome to wear and remove, sometimes taking off unexpectedly.

Consequently, although the natural hair is the most preferable, once it falls off, the recovery of it, that is, growth or treatment of hair was almost difficult.

Therefore, conventionally, in order to facilitate the natural growth of hair, various hair-growth facilitating agents, apparatuses or methods were provided, but these were not satisfied ones.

Namely, as the conventional hair-growth or treatment agent, various ones such as ones comprising naturally occurring natural drug as major component (See, for example, the Japanese Patent Publication No. 58-11923 for one containing an extract from Patasites japonica Maxim or Tussilago farfara L., the Japanese Patent Publication No. 58-40923 for one containing an extract from Cirsium, Lycium chinese, Bupleurum falcatum, Cnidium officinale, H. nipponica or other), or ones prepared by chemical methods (See the Japanese Patent Publication Nos. 59-7681, 59-14444, 60-34921 and 60-42204) were provided.

However, for the one comprising natural drug as a major component, it is fairly difficult to obtain the natural drug, for the one prepared by the chemical method, it is fairly difficult to manufacture it, and furthermore, the hair-growing effect has not been sufficiently satisfied.

Illicium religiosum Sieb. et Zucc. is an evergreen small tree belonging to the genus of Magnoliaceae, and is abundant everywhere to be easily available. Generally, it is known that higher plants produce various secondary metabolites such as alkaloid, flavonoid, anthraquinone, isoprenoid, lignin or cumalin, and that among them there are many compounds which provide an effective physiological activity by itself or in combination with other components. The shikimic acid which is named

after the Japanese name of Illicium religiosum "Shikimi" is an important compound of biological significance in the biosynthetic pathway of these various secondary metabolites, various polyphenols such as lignin, flavonoid, cumalin or phenylpropanoid being produced through the secondary metabolite system coming from the shikimic acid pathway having the shikimic acid as an important metabolic intermediate. Aromatic amino acids such as tyrosine, phenylalanine or tryptophan, and aromatic compounds such as p-aminobenzoic acid are considered to be biosynthesized through the shikimic acid pathway. Of course, the plant Illicium religiosum has the shikimic acid pathway using the shikimic acid as the metabolic intermediate, being considered to be a preferable material which is easily obtainable, strong in secondary metabolic capability and contains various plant secondary metabolites.

Therefore, we pursued the possibility of significant effectiveness of Illicium religiosum extract on hair-growth or treatment for human body, and tried to obtain an hair treating agent comprising it as major component.

Thus, an object of the present invention is to provide a composition for preventing loss of hair and facilitating good growth of hair, being effective and safe without any side effect.

Accordingly, the present invention provides a composition for preventing loss of hair and facilitating growth of hair characterized in that said composition contains an extract from Illicium religiosum.

Illicium religiosum is an evergreen small tree belonging to the genus of Magnoliaceae, and any roots, root skins, trunks, barks, leaves, flowers or fruits of which are available in the present invention, the hair-treatment composition of the present invention being made by extracting the effective component to prepare an extracted essence, followed by adding this extracted essence to the composition.

For the solvent and method for extraction, various conventionally known ones are applicable, for example, as the solvent for extraction water, methanol, ethanol or other is used, while as the method for extraction plant material is optionally dried, mechanically ground before immersion in the solvent and followed by optional heating, agitating or ultrasonic treatment. After the extraction of the Illicium religiosum plant component, the extracted essence is prepared by concentrating the extract, and the extracted plant component has a strong affinity to solvents (especially to water) because it is a mixture comprising various components, not always

being dried up completely by the usual concentration operation under vacuum depending on the preparation method, becomes to a solid in case of drying up, or becomes to a steady state in a fluid form during the concentration process remaining a certain amount of solvent in case of not drying up. Said extracted essence means the Illicium religiosum plant extract in such state, the hair-treating composition of the present invention being made by adding this Illicium religiosum extracted essence in suitable concentration.

The extraction of the effective component may also be carried out by drying the root or other of Illicium religiosum to grind, treat by hot water and steam, and the resulting extract solution has a natural color of orange. Alternatively, the extract solution may be treated to be powder.

The hair-treatment composition of the present invention can be used in any form of solution, cream or emulsion.

For example, hair-tonic, hair-lotion, hair-cream, shampoo or hair-rinse may be made in a desired form, for example, liquid, emulsion or paste, using for example an extract in a form of powder by the usual method. Wherein usual additives conventionally used for hair-treatment composition, for example, distilled water, alcohols, polyols may be added as bases, furthermore, resorcinol, hormones, vitamins, nicotinic acid derivative, sensitizing dye, amino acids, sterilizer, menthol or other perfume may be simultaneously included as pharmaceutically effective components.

Alternatively, the obtained extracted component as powder may be mixed with milk. Namely, the extracted powder can be mixed with milk to make a form of yogurt by adding lactic acid bacteria. Wherein, agitation may preferably be carried out at about 10 - 80 °C preferably at about 60 °C to make a yogurt. Then, it is separated to liquid and solid, and dehydration treatment is carried out by evaporating water. After dehydration treatment, it becomes to a form of powder, and this powder can be made into suitable form by the usual method, as described above.

These mixing with milk or dehydration treatment give no change to the hair-treatment effect of the effective component extracted from Illicium religiosum.

Alternatively, hot water may be added to the powder after dehydration to make a liquid form by agitating for 30 - 60 minutes.

According to the hair-treatment composition of the present invention, this may be supplied externally to the skin, for example, this is applied to the skin. Thereupon, capillary vessels in the skin is enlarged to facilitate the circulation of the blood, and such situation in which hairs are easy to grow takes place by stimulating the activity of the bulb of

hair.

The biochemical mechanism itself by which the hair-treatment composition of the present invention biochemically join certain reaction to prevent loss of hair and facilitate growth of hair is not obvious. However, it is postulated that because Illicium religiosum is a plant having the strong secondary metabolic ability as described above, the effective and safe effects of preventing loss of hair and facilitating growth of hair is provided by the homogeneously mixed extracted components.

Therefore, according to the hair-treatment composition of the present invention, the extract extracted from Illicium religiosum enlarges capillary vessels in the skin to facilitate the circulation of the blood, make hair to be in such situation that it easily grows by stimulating the activity of the bulb of hair, prevents loss of hair and white hair, has a significant effect in hair-treatment and growth of hair safely without any side effects.

The present invention will be further illustrated by the following non-limiting examples.

Preparation of Illicium religiosum extract

Using 1,000g of the all part of root, leaf and trunk without the seed in Illicium religiosum, after steaming for 15 - 20 minutes it is dried. It may be dried either by natural drying method under sun or by mechanically forced drying method, resulting in 360g of material by the drying.

The 360g of dried material is immersed in 5 l of water, agitated at not less than 100 °C for 1 - 2 hours, extracted the effective component as a supernatant of it to make the Illicium religiosum extract solution after filtration to remove the residue. The extract solution is concentrated at atmospheric pressure, dried and ground to prepare a form of powder, resulting in 36g of extract powder.

10g of the extract powder is dissolved in 30 - 50cc of hot water, agitated completely with 1l of milk which has a fat concentration of 3%, added with lactic acid bacteria (volume 130cc and weight 150g) before complete agitation. And it is left for 7 - 10 days in an enclosed vessel at 60 °C. During the leaving, it becomes to a form of yogurt after some 2 days, separates the water part from the solid part after 7 days.

Thus, the water is removed by heating to concentrate or by using a vacuum pot to make powder, resulting in 150g of powder extract. It becomes preferable for long-term preservation owing to such treatment to make powder.

Alternatively, in the separation state after the leaving, a form which can be directly used may be obtained from this state. Namely, in the separation state after the leaving, it is heated at not less than

100° C to boil, added with 1,500cc of ethanol and 1,500cc of distilled water and agitated, adjusted to be 4,000cc as the total amount. And then, it is left until the supernatant becomes transparent, the supernatant being used optionally after filtration. The supernatant thus obtained is hair-tonic like, being able to use in the same way as hair-tonic, the obtained supernatant having a natural color of orange.

When the extract powder is dissolved in hot water, an amount of 30 - 50cc, 50 - 100cc or 100 - 150cc of hot water is suitable for 10g, 20g, 30g of extract powder, respectively.

Now the following result was obtained from the analysis for samples prepared by the extraction and preparation method described above using a gas-chromatograph (Hewlett-Packard, Co., Ltd., HP-5890J) and a gas-chromatograph-mass-spectrometer (JEOL, JMS-DX300).

Wherein this sample was prepared by dissolving 20g of said extract powder in 50 - 100cc of hot water, agitating completely with 1l of milk which had a concentration of 3%, adding with lactic acid bacteria (volume 130cc and weight 150g), agitating completely, leaving for 7 days as described above, heating at not less than 100° C to boil in the separation state after the leaving, adding with 1,500 ml of ethanol and 1,500 ml of distilled water, agitating, adjusting to be 4,000cc as the total amount and then leaving until the supernatant became transparent to use the supernatant after filtration, 200 ml thereof being used.

Namely, the result of the analysis showed that water 63.2 (W/V%), ethanol 36.7(W/V%), hexadecanoic acid 0.88(mg/l), tetradecanoic acid 0.58(mg/l), decanoic acid 0.46(mg/l), dodecanoic acid 0.27(mg/l), octadecanoic acid 0.23(mg/l), C11 hydrocarbon 0.10(mg/l), octanoic acid 0.10(mg/l), and other organic compound (as n-dodecanoic acid) 1.61(mg/l) were contained.

Preparation of hair-treatment compositions

The Illicium religiosum powder extract is added to the following components in a weight ratio of 10% to produce a hair-tonic as follows:

Composition of the components:

Methanol	10 parts
Perfume	0.2 parts
95% Ethanol	45 parts
Distilled water	44.5 parts

Production method:

The above components are mixed before filtration.

The Illicium religiosum powder extract is added to the following components in a weight ratio of 10% to produce a hair-lotion as follows:

Composition of the components:

Stearic acid (63° C)	5 parts
Cetanol	0.5 parts
Emulsifying agent	0.8 parts
(Polyoxyethylene (20EO) sorbitan sesquileate)	
Perfume	1 part
Triethanolamine	0.4 parts
Glycerol	5 parts
95% Ethanol	8 parts
Distilled water	79.3 parts

Production method:

The above components are mixed before filtration.

The Illicium religiosum powder extract is added to the following components in a weight ratio of 10% to produce a hair-cream as follows:

Composition of the components:

Beeswax	5 parts
Anhydrous lanoline	4 parts
Vaseline	5 parts
Liquid paraffin	33 parts
Emulsifying agent	4 parts
(Polyoxyethylene (20EO) sorbitan sesquileate)	
Perfume	1 part
Borax	1 part
Propyleneglycol	5 parts
Distilled water	42 parts

Production method:

The above components are mixed.

The Illicium religiosum powder extract is added to the following components in a weight ratio of 5% to produce a shampoo as follows:

Composition of the components:

Sodium lauryl sulfate	35 parts
Magnesium stearate	4 parts
Polyvinyl alcohol	1 part
Cetyl alcohol	2 parts
Lanolin	1 part
Glycerol laurate	2 parts
Perfume	1 part
Distilled water	49 parts

Production method:

The above components are mixed.

The Illicium religiosum powder extract is added to the following components in a weight ratio of 8% to produce a hair-rinse as follows:

Composition of the components :

Acetylated lanolin alcohol	0.5 parts
Polyoxyethylene hardened castor oil	0.5 parts
Perfume	1 part
Distilled water	90 parts

Production method :

The above components are mixed.

Results of the tests of the hair-treating composition

The following results were obtained by applying the produced hair-tonic to subjects.

When it was applied to a subject (male of 60 years old) who had been in a proceeding of hair-loss state for more than 10 years, in the first place, the hair-loss and dandruff stopped within 10 - 30 days, secondly, hair-trunk appeared on the surface of skin and it gradually became viable hair and hard hair. The application was 1 - 2 times a day, and the hair-trunk appeared at about one month after beginning of the application, and it became the hard hair of 2 - 3 cm after further 3 - 4 months. However, to this subject, the conventionally provided hair-treatment composition had no effect.

Alternatively, to a male subject of 56 years old who had been suffered the loss of hair for more than 25 years, it was applied as described above, and the appearance of hair in the back of the head was found after one year. To a male subject of 53 years old who had been suffered the proceeding of loss hair for more than 30 years, it was applied as described above, and the appearance of hair in the

all part of the head was found after one year. To a male subject of 63 years old who had been in the state of loss of hair for 6 - 7 years, it was applied as described above, and the appearance of hair in the all part of the head was found after one year. To a male subject of thin hair of 44 years old, and to a male subject of 27 years old, it was applied as described above, and in both cases, the state of loss of hair stopped, and the hard hair appeared.

Furthermore, it was applied to a female subject of white hair of 77 years old as described above, the appearance of black hair was found within 2 - 3 months. To a female subject of 21 years old who had essentially thin and slender hair it was applied as described above, and the hair became thick.

Any side effects such as skin disease or other were not found from these direct applications to the skin, and it was confirmed to be safe. Namely, also in the examination in the Chemicals Examination Association Foundation, any toxic substance such as R-Hg, T-Hg, Pb, Cd, Cr⁶⁺, Or-P, As, CN or PCB were not able to be found.

These hair-treating effects gave same effects upon ones whose hair losses were caused by any alopecia areata, alopecia atrophicans, alopecia diffusa or white hair.

Claims

1. A composition for preventing loss of hair and facilitating growth of hair characterized in that said composition contains an extract from Illicium religiosum.

2. The composition according to claim 1, wherein said composition is in a form of solution.

3. The composition according to claim 1, wherein said composition is in a form of cream.

4. The composition according to claim 1, wherein said composition is in a form of emulsion.

5. The composition according to claim 1, wherein said composition contains one or more bases selected from a group consisting of water, alcohols and polyols.

6. The composition according to claim 1, wherein said composition contains one or more pharmaceutically effective components selected from a group consisting of resorcinol, hormones, vitamins, nicotinic acid derivatives, sensitizing dye, amino acids, sterilizer, menthol and perfume.

7. The composition according to claim 1, wherein said composition is in a form of yogurt prepared by mixing the extract from Illicium religiosum and a milk before adding lactic acid bacteria.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 88 10 8562

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 4)
A	PATENT ABSTRACTS OF JAPAN, vol. 8, no. 236 (C-249)[1673], 30th October 1984; & JP-A-59 116 211 (POLA KASEI KOGYO K.K.) 05-07-84 * Abstract *	1-5	A 61 K 7/06
A	BE-A- 351 584 (DEMEULEMEESTER-COLMAN) * Whole document *	1-5	
A	US-A-4 268 500 (CLONINGER) * Whole document *	1,7	
			TECHNICAL FIELDS SEARCHED (Int. Cl. 4)
			A 61 K
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 07-09-1988	Examiner FISCHER J.P.
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			